

BORDER SCALES

WE'RE WEIGH BETTER

THE ISHIDA UNI - 3 THE POWERHOUSE OF MODERN RETAIL



BOOST RETAIL EFFICIENCY WITH THE ISHIDA UNI-3 L2 LABEL PRINTING SCALE

In retail, time is money. The Ishida Uni-3 L2 delivers high-speed label printing at up to 100 mm per second, ensuring that long queues don't slow your business down. With quick product recall and efficient checkout handling, you can serve more customers in less time while keeping

the experience stress-free.

BORDER SCALES BEEF STEAK **GRASS FED BEEF** PACKED ON: 22-04-24 BEST BEFORE: 24-04-24 TARE: 0.006kg Rand/kg Mass (kg) 98,99 0,462 ODUCT OF SOUTH AFRICA TOTAL PRICE

BORDER SCALES BEEF BOEREWORS **BRAAI TIME FAVOURITE** PACKED ON: 22-04-24 BEST BEFORE: 24-04-24 ALLERGENS: MAY CONTAIN DAIRY AND EGGS CASING: SHEEP CASING PRODUCT OF SOUTH AFRICA TOTAL PRICE R46.55

Accuracy and compliance are at the heart of the Uni-3 L2. From product names and barcodes to nutrition details, allergens, and pricing, this scale handles it all with clarity and precision with a variety of label sizes. Side-load label rolls make swaps simple, minimizing downtime and ensuring your compliant while stays customers informed.



Built for busy retail environments, the Uni-3 L2 combines a compact footprint with powerful functionality. Available in bench or pole type to fit any retail space. The dual(orange/green)16 segment backlit display provides operators with product details while showing customers transparent pricing. With up to 168 pre-sets and 8,000 PLUs, staff can access items quickly, boosting productivity across butcheries, supermarkets, and fresh produce outlets.


SPECIFICATIONS

MODEL NAME	UNI-3 series
CAPACITY	6kg/2g, 15kg/5g (Dual range)
	30kg/10g (single range)
POWER SUPPLY	AC100-240V, 50/60Hz
PRINTING SPEED	MAX 100mm/sec
LABEL SIZE	W 38 mm to 64mm
	L 30 mm to 175mm
	Printing area W 56mm.
LABEL ROLL SIZE	Outer diameter Φ100mm or less
	Inner diameter Ф40mm±1mm
USE CONDITIONS	Temperature:−5 to 40°C
	Humidity:20 to 85%
	No condensation
INPUT/OUTPUT	LAN x 1
	USB x 1
	Drawer x 1





Pole Type:



Bench Type:



Beyond weighing and labeling, the Uni-3 L2 is built to integrate seamlessly into today's connected retail world. With Ethernet networking included and wireless options available, multiple scales can be linked to back-office systems. This makes managing pricing, reporting, and product data across multiple stores both simple and reliable.





SLP5 is a powerful Windows PC based, server/client PLU management software. It completes the UNI-3 series and takes it to new heights. The SLP5 software, the 5th generation of the ScaleLink family software, is freely configurable to make it as simple as possible for the end user to keep data up to date and synchronized on all scales in the system. Supporting mdb and SQL type databases, and the graphical user interface is by far one of the most user-friendly software in the retail scale business sector.



Border Scales cc Physical Address: Cnr Courtenay & Keats Street, Cambridge, East London, 5247 Contact us

Tel No.: 043 - 726 2801

Our Services
Border Scales is accredited by SANAS and NRCS to perform Legal Metrology
Verification of scales used in trade within our scope of 3kg to 3000kg.
Our trained and skilled technicians will service, calibrate and repair all
equipment we sell. We offer in-house training on all new equipment
installations.



